

PRODUCT LITERATURE

FREE PRODUCT LITERATURE



Spec Sheets
 Manuals
 New Products
 Product Catalog
 A&E Specs



www.bogen.com

Sign Up For FREE Product Updates by E-mail - Visit www.bogen.com

WARRANTY INFORMATION

The Bogen products identified in this catalog are warranted to be free from defects in material or workmanship for two (2) years from the date of sale to the original purchaser; except for: microphones, and the remote volume control panel (RVCP) which carry a one (1) year warranty; M-Class, Black Max, Power Vector products, Gold Seal Series amplifiers, Advanced Input and Output Modules, amplifier back boxes (BBF and BBS), wall-mount amplifier door (WMAD), Easy Design and Easy Install® speakers, HFCS1 speakers, Pro-Matrix, and ProHold™ Series products, three (3) years; cable kit (CK10), NEAR® products, tile bridge support ring (TBCR), five (5) years; and 70V non-amplified horn speakers, which carry a lifetime warranty. Other conditions apply. Contact Bogen for further information. This limited warranty applies only to Bogen branded products. Products manufactured and labeled by other companies may be covered by warranties offered by those companies. Please refer to the product packaging for details of third-party warranties.

THE FOREGOING LIMITED WARRANTY IS BOGEN'S SOLE AND EXCLUSIVE WARRANTY AND THE PURCHASER'S SOLE AND EXCLUSIVE REMEDY. BOGEN MAKES NO OTHER WARRANTIES OF ANY KIND, EITHER EXPRESS OR IMPLIED, AND ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE HEREBY DISCLAIMED AND EXCLUDED TO THE MAXIMUM EXTENT ALLOWABLE BY LAW. Bogen's liability arising out of the manufacture, sale or supplying of products or their use or disposition, whether based upon warranty, contract, tort or otherwise, shall be limited to the price of the product. In no event shall Bogen be liable for special, incidental or consequential damages (including, but not limited to, loss of profits, loss of data or loss of use damages) arising out of the manufacture, sale or supplying of products, even if Bogen has been advised of the possibility of such damages or losses.

12/2006

DISCLAIMER

Note: Bogen endeavors to provide correct and current product information in this catalog. However, product information changes from time to time. Contact Bogen to confirm current product specifications and information. Bogen is not responsible for any claims arising from the improper use of products, even if incorrect information is included in this catalog.

2518/20/22	.60, 81	GS35/60/100/150/250	.39	RPKUT11	.29, 80
A2/T	.16	GSRPK	.39, 80	RVCP	.36, 38, 46, 80
A6/T	.16	GSRVC	.39, 80	S86/T725/BR	.19
A8/T	.16	GSTRC	.39, 80	S86T725PG8W/BR	.8
A12	IFC	HDO100	.57	S86T725PG8WBRVK/VR	.8
ACD2X2	.21	HDU150/250	.57	S86T725PG8WVK/VR	.8
ADP1	.52	HFCS1/LP	.10	S810/T725	.19
AFDS2	.80	HFSF1	IFC	S810T725PG8W/VK/VR	.8
AH5A/AH15A	.26	HS7/15/30EZ	.2	SAH5/15/30	.24
AMBSL1/AMBSQ1	.22	HTA125/250A	.44	SAX1R	.37
ANS1R	.38	IH8A	.15, 61	SB6	.58
ANS500M	.38, 49	KFLDS30T	.15	SBA225	.60, 81
ANS501	.49	LMM1S/LMR1S	.37	SCR25A	.60, 81
ASM1	.22	M300/450/600	.43	SCU250	.58
ASTB4	.16, 80	MA3	.37, 80	SCW20/35	.14
ASWB1	.23	MAC	.58	SF4	.58
ASWG1/DK	.21	MAX1R	.37	SG8W	.19
AT10A/35A	.2, 8, 13, 15, 18	MB8TSL/VR	.13	SGHD8	.14
ATP10/35	.2, 8, 13, 15, 18	MB8TSQ/VR	.13	SI35A	.60
BAL2S	.37	MBS1000A	.56, 60	SLC	.27
BBF	.38, 80	MC27	.57	SM1EZ	.1
BBFM6	.14	MFM	.58	SM4T	.1
BBS	.38, 80	MGN19	.57	SMTB	.1, 22, 80
BBSM6	.14	MIC1S/X	.37	SP58/158/308A	.15
BC1	.2, 15, 24, 26, 80	MIC2S/X	.37	SPS2406/2410/2425/2454	.28
BCBC/BCBRA	.81	MLA40/T	.63	SPT5/15/30A	.15
BCBRBP/BCHRBP	.81	MR8	.2, 8, 21, 80	SRCA6	.80
BCHM	.56, 81	MRC3/6	.80	T725/10	.80
BCIRS	.81	MSM	.58	TAMB	.30, 34, 50, 51, 62
BCLM	.81	MT250D	.44	TB8	.2, 8, 21, 80
BCWBT	.81	MVP130BG	.35	TBA15	.34, 50
BCWHT	.81	MVP210BG	.35	TBCR	.10, 11, 80
BCWR	.81	MVP410BG	.35	TBL1S	.37
BCYA	.81	MVP810BG	.35	TEL1S	.37
BDT30A	.15	NR100	.49	TG4C	.51
BPA60	.44	OCS1	.11	TL100/600	.44, 80
BRG1R	.37	OPS1B/W	.12	TL156	.60, 81
BUFEX	.27	PCM2000	.32-33	TNG1S	.37
C10/20/MOH	.40	PCMCPU	.32-33	TP30D	.53
C35/60/100	.40	PCMP52	.33, 81	TP6/12AP	.61
CA10A/11A/17	.60, 81	PCMTBM	.32-33	TPU15A	.41
CAM2	.48	PCMTIM	.32-33	TPU35/60/100B	.41
CAM8/PRO	.47	PCMZPM	.32-33	TPU250	.41
CG8A/W	.19	PEQ1R	.38	TWK351	.60, 81
CK10	.10, 11, 12, 80	PG8A/W	.19	UBP16	.56
CK10B/W	.12, 80	PI35A	.60	UDMS16BP/HH	.56
CM200X/206M/211M	.61	PM3000/3180	.45	UDR16	.56
CMP1R	.38	PRO4/8/12/16	.62	UHT16	.56
CR100A	.55, 60	PRS2403	.28, 49	UT11	.29
CS1EZ	.2	PRS40C	.28, 50, 51, 55	UT1312	.31
CSD1X2/VR	.9	PRS48	.28, 30, 34, 37	V35/60/100/150/250	.36
CSD2X2/VR	.9	PRSLSI	.23, 30, 34	VAR1	.50
CSUB	IFC	PVMC	.36, 43, 46, 80	VHSK	.63, 80
DCM290P	.53	PVSC	.36, 46, 80	V-HUB	.63
DDU250	.56, 60	R8/T	.17	VMIX	.46
DFT120	.51	RE84	.2, 8, 21, 80	VRS1/2	.18
DS3	.58	RF12/24A	.28, 61	WB1EZ	.2
ENHANCER	.59	RIO1S	.38	WB8	.19
ESYS1/M	.59	RK78	.55, 80	WBS8T725/BR/BRV/V	.13
ESYS2/M	.59	RM350D	.54	WBS810T725	.13
ESYS3/M	.59	RMPWMK3	.45, 80	WCU250	.58
ESYS4/M	.59	RPK35B	.40, 48, 80	WMAD	.38, 80
FG15B/W	.14	RPK46A	.53, 80	WMK1	.40, 48, 80
FG20S	.14	RPK47	.54, 80	WMT1A	.39, 40, 41, 44, 51, 52, 54, 60
FG30	.14	RPK50	.40, 80	WSGCU250	.57
FGSM/W	.14, 80	RPK53	.44, 80	WV100/150/250	.38
FMH15T	.14	RPK79	.45, 80	X300/450/600	.42
FMHAR8	.14	RPK82	.41, 80	XLR25	.58
FMR	.55	RPK84	.33, 80	ZPM3	.34, 50
GA2/GA6A	.40	RPK86	.42, 43, 80	ZX3	.31
GCU250	.57	RPK87	.36, 46, 80		
GDU150	.57	RPK88	.33, 80		

Note: Products are featured on pages which are listed in boldface type.

A-Series Speakers, NEAR	16	Grilles, Speaker	19	Speakers, Easy Install	1
Accessories	80-81	High-Fidelity Speakers	.IFC, 10	Speakers, Easy Install, Self-Amplified (24V)	22
AM/FM Receiver	54	Horn Speakers	2, 14, 15	Speakers, FG Series	14
AM/FM Tuners	53, 55	Horn Speakers, Self-Amplified (24V)	24-25, 26	Speakers, Foreground	14
Ambient Noise Sensor Systems	38, 49	Hostile-Environment Speakers	14, 18	Speakers, High-Fidelity	.IFC, 10
Amplifier Features Chart	78	HTA-Series Power Amplifiers	44	Speakers, Horn	2, 14, 15
Amplifier Specs Chart	79	Input Modules	37-38	Speakers, Horn, Self-Amplified (24V)	24-25, 26
Amplifiers	36-45	Insertion Tool	81	Speakers, Landscape Rock	17
Amplifiers, Black Max Series	42	Intercoms	60, 61	Speakers, Metal Box	13
Amplifiers, Classic Series	40	Interfaces, Telephone	23, 29, 30, 31	Speakers, Metal Box, Self-Amplified (24V)	22
Amplifiers, Dual-Channel	42, 43	Interphones	61	Speakers, NEAR	.IFC, 11, 12, 16, 17
Amplifiers, GA-Series	40	Landscape Speakers, Rock	17	Speakers, NEAR A-Series	16
Amplifiers, Gold Seal Series	39	Lecterns	63	Speakers, NEAR Orbit	11, 12
Amplifiers, HTA-Series, Power	44	Level Controls	18, 27	Speakers, NEAR Rock	17
Amplifiers, M-Class	43	Literature, Product	82	Speakers, Outdoor	.IFC, 2, 15, 16, 17
Amplifiers, Modular	36, 38	Loop Start Interface/Power Supply	23	Speakers, Outdoor, Self-Amplified (24V)	24-25, 26
Amplifiers, Power	42-44	M-Class Amplifiers	43	Speakers, Passive (70V)	.IFC, 1-2, 8-19
Amplifiers, Power Vector Series	36, 38	Metal Box Speakers	13	Speakers, Pendant	12
Amplifiers, Pro-Matrix	45	Metal Box Speakers, Self-Amplified (24V)	22	Speakers, Rock Landscape	17
Amplifiers, Public Address	39, 40	Microphones & Accessories	56-58	Speakers, Self-Amplified (24V)	21-26
Amplifiers, Talk Back	50	Mixers Selection Chart, CAM	48	Speakers, Sound Column	14
Amplifiers, Telephone Paging	41	Mixers	45-48	Speakers, Surface-Mount Ceiling	1, 22
Amplifiers, TPU Series	41	MLA-Series Lecterns	63	Speakers, Vandal-Resistant	14, 18
Amplifiers, Utility	40	Module Adapter	37	Speakers, Wall Baffle	2, 13
Amplifiers, Wall-Mount	38	Modules, Advanced Input	37	Speakers, Wall Baffle, Self-Amplified (24V)	23
Analog Door Phone	52	Modules, Advanced Signal-Processing Output	38	Speakers, Wall-Mount	.IFC, 2, 13, 14
Application Design Service, Free	81	MOH, Music/Message-On-Hold	40, 62	Speakers, Wall-Mount, Self-Amplified (24V)	22, 23
Armadillo Speakers	16	Mounting Kits	80	Speakers, Weatherproof	.IFC, 2, 14, 15, 16, 17
Attenuators	18, 27	Music & Input Sources	53-58	Speakers, Weatherproof, Self-Amp (24V)	24-25, 26
Audio Enhancement System	59	MVP-Series	35	Splashproof Speaker	14
Automatic Failure Detector Substitutor (AFDS)	80	NEAR Speakers	.IFC, 11, 12, 16, 17	Subwoofers	.IFC
Beam Clamp	80	Network-Enabled Paging	35	System Design Guide	64-77
Black Max Power Amplifiers	42	Night Ringer	49	System Design Guide, 24V Systems	68-69
Bogen Enhancer	59	Noise Sensor System, Ambient	49	System Design Guide, 70V Systems	64-67
Bogen Enhancer Accessories	81	Orbit Speakers, NEAR	11, 12	System Design Guide, Easy Design	3-7
Buffer/Expander/Volume Control	27	Outdoor Speakers	.IFC, 2, 15, 16, 17	System Design, Free Service	81
Cabinet Speakers	.IFC, 14, 16	Outdoor Speakers, Self-Amplified (24V)	24-25, 26	Talk Back Amplifier	50
Cables, Microphone	58, 80	Paging Control	29-35	Tape Player	55
Call-In Switches	81	Paging Electronics	49-52	Teleconference Phone	63
CAM8-Series Mixers/Pre-amps	47	PCM2000 Paging System	32-33	Telephone Access Module	30
Cassette Tape Player	55	Pendant Speakers	12	Telephone Electronics	49-52
CD Player	53	Phone, Analog Door	52	Telephone Interfaces	23, 29, 30, 31
Ceiling Speakers	.IFC, 1-2, 8-11, 13	Phone, Teleconference	63	Tile Bridges	80
Ceiling Speakers, Self-Amplified (24V)	21, 22	Power Supplies	28	Tone Generator	37, 51
Classic Series Amplifiers	40	Power Supplies, 24V	23, 28, 49	TP-AP Series Interphones	61
CM-Series Intercoms	61	Power Vector Mixers	46	TPU-Series Telephone Paging Amplifiers	41
Cone Speakers	19	Power Vector Modular Amplifier Series	36, 38	Transformer, Matching	52
Conference Phone	63	Pre-Amp, Pro-Matrix	45	Transformers	52, 80
Connector Kits	81	Pre-Amplifiers	45-48	Tuners	53, 55
Current Units	20, 68	Product Literature	82	Utility Amplifiers	40
Decibel, Sound Pressure Levels Chart	77	ProHold Series	62	Vandal-Resistant Speakers	14, 18
Digital Feedback Elimination	51	Pro-Matrix Series	45	V-Hub Conference Phone	63
Door Phone, Analog	52	Receivers	54, 55	Voice Enhancement System	59
Drop-In Ceiling Speakers	9	Rock Speakers, NEAR	17	Voice-Activated Relay	50
Drop-In Ceiling Speakers, Self-Amplified (24V)	21	Safety Cables	80	VoIP Gateways for Paging	35
Easy Design Guide	3-7	Self-Amplified (24V) Systems	20-27	Volume Controls	18, 27
Easy Design Speakers	1, 2	Signal Level Control	27	Wall Baffle Speakers	2, 13
Easy Install Speakers	1	Site Survey	72	Wall Baffle Speakers, Self-Amplified (24V)	23
Easy Install Speakers, Self-Amplified (24V)	21, 22	Sound Column Speakers	14	Wall Baffles, Speaker	19
Emergency Bypass Function	18, 27	Sound Pressure Levels Chart	77	Wall-Mount Speakers	.IFC, 2, 13, 14
Enhancer	59	Speaker Attenuators	18, 27	Wall-Mount Speakers, Self-Amplified (24V)	22, 23
Enhancer Accessories	81	Speakers & Accessories	8-19	Warranty Information	82
ESYS-Series	59	Speakers, Amplified (24V) & Accessories	21-28	Weatherproof Speakers	.IFC, 2, 14, 15, 16, 17
Feedback, Digital Elimination	51	Speakers, Cabinet	.IFC, 14, 16	Weatherproof Speakers, Self-Amp (24V)	24-25, 26
FG-Series Speakers	14	Speakers, Ceiling	.IFC, 1-2, 8-11, 13	Zone Paging	31-35
FM Radio Receiver	55	Speakers, Ceiling, Self-Amplified (24V)	21-22		
Foreground Speakers	14	Speakers, Cone	19		
Free Application Design Service	81	Speakers, Drop-In Ceiling	9		
GA-Series Utility Amplifiers	40	Speakers, Drop-In Ceiling, Self-Amplified (24V)	21		
Gold Seal Series Amplifiers	39	Speakers, Easy Design	1, 2		