



COMPONENTS

C A T E G O R Y 5 E

&

C A T E G O R Y 6

P R O U D C T S

TEL: 516-791-1121

FAX: 516-791-1171

EMAIL: SALES@AVCOMPONENTS.NET

WEB:WWW.AVCOMPONENTS.NET

TABLE OF CONTENTS

CATEGORY 5E MOLDED BOOTED SNAG FREE PATCH CABLES	PAGE 01
CATEGORY 5E ASSEMBLED (NO BOOTS) PATCH CABLES	PAGE 02
CATEGORY 5E CROSS OVER PATCH CABLES	PAGE 02
CATEGORY 5E SHIELDED PATCH CABLES	PAGE 02
CATEGORY 5E CROSS OVER SHIELDED PATCH CABLES	PAGE 02
CATEGORY 5E KEYSTONE JACKS	PAGE 03
KEYSTONE WALL PLATES FOR CAT 5E AND CAT 6	PAGE 03
CATEGORY 5E SURFACE MOUNTS	PAGE 03
CATEGORY 5E PATCH PANELS	PAGE 04
MOUNTING HINGES FOR CAT 5E AND CAT 6 PATCH PANELS	PAGE 04
CATEGORY 5E PUNCH DOWN BLOCK	PAGE 04
CATEGORY 5E INLINE COUPLERS	PAGE 04
CATEGORY 5E MODULAR PLUGS	PAGE 04
CATEGORY 6 MOLDED BOOTED SNAG FREE PATCH CABLES	PAGE 05
CATEGORY 6 CROSS OVER PATCH CABLES	PAGE 06
CATEGORY 6 SHIELDED PATCH CABLES	PAGE 06
CATEGORY 6 CROSS OVER SHIELDED PATCH CABLES	PAGE 06
CATEGORY 6 PATCH PANELS	PAGE 06
CATEGORY 6 MODULAR PLUGS	PAGE 06
CATEGORY 6 KEYSTONE JACKS	PAGE 07
CATEGORY 6 INLINE COUPLERS	PAGE 07
CATEGORY 6 SURFACE MOUNTS	PAGE 07

NETWORKING PRODUCTS

CATEGORY 5E PATCH CABLES

Ethernet networks are the most common type of networks in existence today. Most of them currently run over twisted pair (UTP) cable. In this network, cross connections between walls and computers, patch panels and equipment, or between two pieces of equipment use patch cables. This patch cable is compliant with EIA/TIA 568 B standard at a Enhanced Category 5 Level (commonly called Cat 5e). Cat 5e will support the following speed and protocols: 10 Megabit per second Ethernet (10Base-T), 100 Megabit per second fast Ethernet (100Base-TX) and 1 Gigabit per second gigabit Ethernet (1000Base-T).

Colors available: Black (BK), Blue (BL), Green (GN), Gray (GY), Orange (OR), Purple (PU), Red (RD), White (WH), and Yellow (YW)

CATEGORY 5E MOLDED BOOTED SNAG FREE PATCH CABLES



PC5-BK-**

** = length

LENGTHS AVAILABLE:

1, 2, 3, 4, 5, 7, 10, 14,
15, 20, 25, 50, 100 ft

BLACK

PC5-BL-**

**=length

LENGTHS AVAILABLE:

1, 2, 3, 4, 5, 6, 7, 8,
10, 14, 15, 20, 25, 35,

50, 75, 100 ft

BLUE

PC5-GR-**

**=length

LENGTHS AVAILABLE:

1, 2, 3, 5, 7, 10, 14,
25, 50, 100 ft

GREEN

PC5-GY-**

**=length

LENGTHS AVAILABLE:

1, 2, 3, 4, 5, 6, 7, 10,
14, 15, 20, 25, 35, 50,

75, 100 ft

GRAY

PC5-OR-**

**= length

LENGTHS AVAILABLE:

1, 2, 3, 5, 7, 10, 14,
25, 50, 75, 100 ft

ORANGE

PC5-PL-**

** = length

LENGTHS AVAILABLE:

1, 3, 5, 7, 10, 14, 25 ft

PURPLE

PC5-RE-**

** = length

LENGTHS AVAILABLE:

1, 2, 3, 5, 7, 10, 14, 15, 25,

50, 100 ft

RED

PC5-WH-**

** = length

LENGTHS AVAILABLE:

1, 2, 3, 5, 7, 10, 14, 15, 25,

75, 50, 100 ft

WHITE

PC5-YL-**

** = length

LENGTHS AVAILABLE:

1, 2, 3, 4, 5, 6, 7, 10, 14,

15, 20, 25, 50, 100 ft

YELLOW

CATEGORY 5E ASSEMBLED PATCH CABLES



PC5EBKA**
**** = length**

LENGTHS AVAILABLE:
 1, 3, 5, 7, 10, 15, 25, 50,
 75, 100 ft

PC5EBLA**
****=length**

LENGTHS AVAILABLE:
 1, 3, 5, 7, 10, 15, 25, 50, 75,
 100 ft

PC5EGNA**
****=length**

LENGTHS AVAILABLE:
 1, 3, 5, 7, 10, 15, 25, 50,
 75, 100 ft

PC5EGYA**
****=length**

LENGTHS AVAILABLE:
 1, 3, 5, 7, 10, 15, 25, 50,
 75, 100 ft

CATEGORY 5E ASSEMBLED PATCH CABLES



PC5ERDA**
**** = length**

LENGTHS AVAILABLE:
 1, 3, 5, 7, 10, 15, 25, 50, 75, 100 ft

PC5EWHA**
****=length**

LENGTHS AVAILABLE:
 1, 3, 5, 7, 10, 15, 25, 50, 75, 100 ft

PC5EYWA**
****=length**

LENGTHS AVAILABLE:
 1, 3, 5, 7, 10, 15, 25, 50, 75, 100 ft

CROSSOVER CATEGORY 5E MOLDED BOOTED SNAG FREE PATCH CABLES

SHIELDED CROSSOVER CATEGORY 5E PATCH CABLES GRAY WITH GREEN BOOTS



PC5EXGY**
**** = length**

LENGTHS AVAILABLE:
 3, 5, 7, 10, 14, 25, 50, 75, 100 ft

PC5EXOR**
****=length**

LENGTHS AVAILABLE:
 3, 5, 7, 10, 14, 25, 50, 75, 100 ft

PC5EXRD**
****=length**

LENGTHS AVAILABLE:
 3, 5, 7, 10, 14, 25, 50, 75, 100 ft

PC5ESXGY**
****=length**

LENGTHS AVAILABLE:
 1, 3, 7, 10, 15, 25, 50 ft

SHIELDED CATEGORY 5E MOLDED BOOTED SNAG FREE PATCH CABLES



PC5ESBK**
**** = length**

LENGTHS AVAILABLE:
 1, 3, 5, 7, 10, 15, 25, 50, 75, 100 ft

PC5ESBL**
****=length**

LENGTHS AVAILABLE:
 1, 3, 5, 7, 10, 15, 25, 50, 75, 100 ft

PC5ESGN**
****=length**

LENGTHS AVAILABLE:
 1, 3, 5, 7, 10, 15, 25, 50, 75, 100 ft

PC5ESGY**
****=length**

LENGTHS AVAILABLE:
 1, 3, 5, 7, 10, 15, 25, 50, 75, 100 ft



PC5ESOR**
**** = length**

LENGTHS AVAILABLE:
 1, 3, 5, 7, 10, 15, 25, 50, 75, 100 ft

PC5ESRD**
****=length**

LENGTHS AVAILABLE:
 1, 3, 5, 7, 10, 15, 25, 50, 75, 100 ft

PC5ESWH**
****=length**

LENGTHS AVAILABLE:
 1, 3, 5, 7, 10, 15, 25, 50, 75, 100 ft

PC5ESYW**
****=length**

LENGTHS AVAILABLE:
 1, 3, 5, 7, 10, 15, 25, 50, 75, 100 ft

CATEGORY 5E KEYSTONE JACKS 180°

KJ5E**
**** = COLOR**
COLORS AVAILABLE:
BK = BLACK, BL = BLUE, GN = GREEN, IV= IVORY,
OR = ORANGE, RD = RED, WT = WHITE, YW = YELLOW



CATEGORY 5E KEYSTONE JACKS 90°

KJ5ERA**
**** = COLOR**
COLORS AVAILABLE:
BK = BLACK, BL = BLUE, GN = GREEN, IV= IVORY,
OR = ORANGE, RD = RED, WT = WHITE, YW = YELLOW



CATEGORY 5E KEYSTONE JACKS TOOL LESS




KJ5ESI**
**** = COLOR**
COLORS AVAILABLE:
BK = BLACK, BL = BLUE, GN = GREEN, IV= IVORY,
OR = ORANGE, RD = RED, WT = WHITE, YW = YELLOW

CATEGORY 5E KEYSTONE WALL PLATES

WPI*
IVORY
*** = PORTS**
PORTS AVAILABLE: 1,2,3,4,6



WPI*
WHITE
*** = PORTS**
PORTS AVAILABLE: 1,2,3,4,6



CATEGORY 5E SURFACE MOUNTS

SMC5ESIV



SMC5ESWT



SMC5EDIV



SMC5EDWT

CATEGORY 5E PATCH PANELS

- CT5EPP12V VERTICAL CAT 5E PATCH PANEL 12 PORT**
- CT5EPP12 CAT 5E PATCH PANEL 12 PORT RACKMOUNT**
- CT5EPP16 CAT 5E PATCH PANEL 16 PORT RACKMOUNT**
- CT5EPP24 CAT 5E PATCH PANEL 24 PORT RACKMOUNT**
- CT5EPP48 CAT 5E PATCH PANEL 48 PORT RACKMOUNT**
- CT5EPP96 CAT 5E PATCH PANEL 96 PORT RACKMOUNT**



CATEGORY 5E MOUNTING HINGES

- MH1224 19 INCH MOUNTING HINGE FOR 12/24 PORT PP**
- MH48 2X19 INCH MOUNTING HINGE FOR 48 PORT PP**



CATEGORY 5E PUNCHDOWN BLOCK

- PB66 66 PUNCHDOWN BLOCK 25 PAIR**



CATEGORY 5E INLINE COUPLERS

- IC5EW CAT 5E INLINE COUPLER WHITE**
- IC5EWS CAT 5E SHIELDED INLINE COUPLER WHITE**
- IC5EWX CAT 5E CROSSOVER INLINE COUPLER WHITE**



CATEGORY 5E MODULAR PLUGS

- MP5EST CAT 5E MOD. PLUG STRANDED**
- MP5ES02 CAT 5E MOD. PLUG SOLID 2 PRONG**
- MP5ES03 CAT 5E MOD. PLUG SOLID 3 PRONG**
- MP5ESST CAT 5E MOD. PLUG SHIELDED STRANDED**
- MP5ESS03 C5E SHIELDED MOD. 3PRONG PLUG FOR SOLID**




NETWORKING PRODUCTS

CATEGORY 6 PATCH CABLES

Ethernet networks are the most common type of networks in existence today. Most of them currently run over unshielded twisted pair (UTP) cable. In this network, cross connections between walls and computers, patch panels and equipment, or between two pieces of equipment use patch cables. This cable is designed to connect from the wall to a computer or from a patch panel to equipment, this is called a straight through or standard patch cable. This patch cable is compliant with EIA/TIA 568 B-2.1 standard at a Category 6 Level (commonly called Cat 6). Cat 6 will support the following speed and protocols: 10 Megabit per second Ethernet (10Base-T), 100 Megabit per second fast Ethernet (100Base-TX) and 1 Gigabit per second gigabit Ethernet (1000Base-T or 1000Base-TX).

Colors available: Black (BK), Blue (BL), Green (GN), Gray (GY), Orange (OR), Pink (PK), Purple (PU), Red (RD), White (WH), and Yellow (YW)

CATEGORY 6 MOLDED BOOTED SNAG FREE PATCH CABLES

PC6 - BK - **	PC6 - BL - **	PC6 - GR - **	PC6 - GY - **	
** = length	**=length	**=length	**=length	
LENGTHS AVAILABLE:	LENGTHS AVAILABLE:	LENGTHS AVAILABLE:	LENGTHS AVAILABLE:	
1, 2, 3, 5, 7, 10, 14, 25, 50, 100 ft	1, 2, 3, 5, 7, 10, 14, 15, 20, 25, 50, 100 ft	1, 3, 5, 7, 10, 14, 25, 50, 100 ft	1, 3, 5, 7, 10, 14, 20, 25, 50, 100 ft	
BLACK	BLUE	GREEN	GRAY	
PC6 - OR - **	PC6 - PL - **	PC6 - RE - **	PC6 - WH - **	PC6 - YL - **
**=length	**=length	**=length	**=length	**=length
LENGTHS AVAILABLE:	LENGTHS AVAILABLE:	LENGTHS AVAILABLE:	LENGTHS AVAILABLE:	LENGTHS AVAILABLE:
3, 5, 7, 10, 14, 25, 50, 100 ft	1, 3, 5, 7, 10, 14, 25, 50ft	1, 2, 3, 5, 7, 10, 14, 25, 50ft	1, 2, 3, 5, 7, 10, 14, 25, 50, 100 ft	1, 2, 3, 5, 7, 10, 14, 25, 50, 100 ft
ORANGE	PURPLE	RED	WHITE	YELLOW

CROSSOVER CATEGORY 6 MOLDED BOOTED SNAG FREE PATCH CABLES

SHIELDED CROSSOVER CATEGORY 6 PATCH CABLES GRAY WITH GREEN BOOTS



PC6XGY**

** = length

LENGTHS AVAILABLE:

3, 5, 7, 10, 14, 25, 50, 75, 100 ft

PC6XOR**

**=length

LENGTHS AVAILABLE:

3, 5, 7, 10, 14, 25, 50, 75, 100 ft

PC6XRD**

**=length

LENGTHS AVAILABLE:

3, 5, 7, 10, 14, 25, 50, 75, 100 ft

PC6SXGY**

**=length

LENGTHS AVAILABLE:

1, 3, 7, 10, 15, 25, 50 ft

SHIELDED CATEGORY 6 MOLDED BOOTED SNAG FREE PATCH CABLES



PC6SBK**

** = length

LENGTHS AVAILABLE:

1, 3, 5, 7, 10, 15, 25, 50, 75, 100 ft

PC6SBL**

**=length

LENGTHS AVAILABLE:

1, 3, 5, 7, 10, 15, 25, 50, 75, 100 ft

PC6SGN**

**=length

LENGTHS AVAILABLE:

1, 3, 5, 7, 10, 15, 25, 50, 75, 100 ft

PC6SGY**

**=length

LENGTHS AVAILABLE:

1, 3, 5, 7, 10, 15, 25, 50, 75, 100 ft



PC6SOR**

** = length

LENGTHS AVAILABLE:

1, 3, 5, 7, 10, 15, 25, 50, 75, 100 ft

PC6SRD**

**=length

LENGTHS AVAILABLE:

1, 3, 5, 7, 10, 15, 25, 50, 75, 100 ft

PC6SWH**

**=length

LENGTHS AVAILABLE:

1, 3, 5, 7, 10, 15, 25, 50, 75, 100 ft

PC6SYW**

**=length

LENGTHS AVAILABLE:

1, 3, 5, 7, 10, 15, 25, 50, 75, 100 ft


CATEGORY 6 PATCH PANELS

- CT6PP12V VERTICAL CAT 6 PATCH PANEL 12 PORT**
- CT6PP12 CAT 6 PATCH PANEL 12 PORT RACKMOUNT**
- CT6PP24 CAT 6 PATCH PANEL 24 PORT RACKMOUNT**
- CT6PP48 CAT 6 PATCH PANEL 48 PORT RACKMOUNT**




CATEGORY 6 MODULAR PLUGS

- MP6ST CAT6 MODULAR PLUG FOR STRANDED WIRE**
- MP6SO CAT6 MODULAR PLUG FOR SOLID WIRE**
- MP6SST CAT6 SHIELDED MOD. PLUG FOR STRANDED WIRE**
- MP6SSO CAT6 SHIELDED MOD. PLUG FOR SOLID WIRE**



CATEGORY 6 KEYSTONE JACKS 180°

KJ6**
**** = COLOR**
COLORS AVAILABLE:
BK = BLACK, BL = BLUE, GN = GREEN, IV= IVORY,
OR = ORANGE, RD = RED, WT = WHITE, YW = YELLOW



CATEGORY 6 KEYSTONE JACKS 90°

KJ6RA**
**** = COLOR**
COLORS AVAILABLE:
BK = BLACK, BL = BLUE, GN = GREEN, IV= IVORY,
OR = ORANGE, RD = RED, WT = WHITE, YW = YELLOW



CATEGORY 6 KEYSTONE JACKS TOOL LESS



KJ6SI**
**** = COLOR**
COLORS AVAILABLE:
BK = BLACK, BL = BLUE, GN = GREEN, IV= IVORY,
OR = ORANGE, RD = RED, WT = WHITE, YW = YELLOW

CATEGORY 6 INLINE COUPLERS

- IC6W** **CAT 6 INLINE COUPLER WHITE**
- IC6WS** **CAT 6 SHIELDED INLINE COUPLER WHITE**
- IC6WX** **CAT 6 CROSSOVER INLINE COUPLER WHITE**



CATEGORY 6 SURFACE MOUNTS

